


## PRODUCT DATA SHEET

# SS104

## STAINLESS STEEL MULTI-PURPOSE CEILING VALVE



### SPECIFICATION DETAILS

The SS104 100mm diameter Stainless Steel Multi-Purpose Ceiling Valve has minimum free area of 3,479mm<sup>2</sup> with Control Disc 10mm open. It has a male spigot for connection inside of the System 100mm duct.

The SS104 extract air valve is fully adjustable and has a locking nut to fix the position of the controlled disc upon commissioning.

The SS104 is supplied complete with a fixing body with pre-drilled holes for installation.

SS104 is manufactured in compliance with Domestic Plastic Ductwork Specification DW/154 and does meet UL94HB flammability standard.


SS104 has been designed for use with Verplas System 100 Round.

#### MAX/MIN OPERATING TEMPERATURES

+ 60°C to - 15°C

<b>Manufacturer:</b>	Verplas Ltd
<b>Part Number:</b>	SS104
<b>Size:</b>	100mm Diameter
<b>For use with:</b>	Verplas System 100
<b>Box quantity:</b>	5
<b>Individual Weight:</b>	220g
<b>Colour:</b>	Silver

### PERFORMANCE CURVE



\*Pressure losses with Control Disc 10mm open

### Associated Ancillaries



AIRFLOW	RESISTANCE
8 l/s	6.15 pa
13 l/s	12.35 pa
21 l/s	32.50 pa
30 l/s	66.50 pa
60 l/s	280.00 pa
120 l/s	1150.00 pa